

doi <https://doi.org/10.34172/bi.2024.30047>



An update on technical method of cartilage decellularization: (a physical-based protocol)

Hengameh Dortaj¹, Ahmad Vaez¹, Ashraf Hassanpour-Dehnavie², Ali Akbar Alizadeh^{1*}

Copyright: © 2024 The Author(s). This work is published by BioImpacts as an open access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/4.0/>). Non-commercial uses of the work are permitted, provided the original work is properly cited.

Please cite this article as: Dortaj H, Vaez A, Hassanpour-Dehnavie A, Alizadeh AA. An update on technical method of cartilage decellularization: (a physical-based protocol). *BioImpacts* 2024;14:30047. doi: 10.34172/bi.2024.30047

making them more suitable for use in tissue engineering and regenerative medicine applications. Non-chemical protocols for decellularization can also reduce the risk of immune rejection when used in transplantation, as they eliminate the need for harsh chemical agents that can cause tissue damage and inflammation. Additionally, non-chemical protocols can be more cost-effective and environmentally friendly than chemical protocols, as they may require fewer reagents and generate less hazardous waste.

Conclusions

Preservation of the natural elements of the ECM can serve as a viable platform to explore cell behavior. Furthermore, the decellularized scaffolds can be employed as bioinks in 3D bioprinting or hydrogel fabrication. However, the success of this strategy depends on various factors, including tissue density and thickness, and the effectiveness of the decellularization procedure. Here, we developed a streamlined decellularization protocol for cartilage by using a combination of freezing-thawing and sonication without any chemical detergent. The resulting decellularized constructs have the potential to serve as effective graft alternatives for the regeneration of cartilage and the treatment of osteoarthritis or cartilage damage. Furthermore, a detergent-free technique can be employed to utilize cartilage fragments as scaffolds for cell sheet technology, which presents an invaluable asset for exploring regenerative medicine and tissue engineering.

Acknowledgments

The authors would like to thank Shiraz University of Medical Sciences and also pathology department of Nemazee Hospital. The authors would like to thank Shiraz University of Medical Sciences, Shiraz, Iran, and also the Center for Development of Clinical Research of Nemazee Hospital and Dr. Nasrin Shokrpour for editorial assistance.

Ethical statement