

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/369511041>

# General Anxiety Disorder and Primary Hypertension Is There a Link?

Article in *The Journal of nervous and mental disease* · March 2023

DOI: 10.1097/NMD.0000000000001650

---

CITATIONS

2

READS

212

9 authors, including:



Amir Askarinejad

Rajaie Cardiovascular, Medical & Research Center

13 PUBLICATIONS 20 CITATIONS

[SEE PROFILE](#)



Hamed Bazrafshan Drissi

Shiraz University of Medical Sciences

55 PUBLICATIONS 142 CITATIONS

[SEE PROFILE](#)



Mana Moghadami

University of Louisville

9 PUBLICATIONS 35 CITATIONS

[SEE PROFILE](#)



Hanieh Bazrafshan

Shiraz University of Medical Sciences

26 PUBLICATIONS 54 CITATIONS

[SEE PROFILE](#)

increase in peripheral vascular resistance, and sodium retention (Caird et al., 1973; Pinto, 2007; Rigaud and Forette, 2001; Weidmann et al., 1978).

## LIMITATIONS

This research is not without limitations. The first limitation was that antidepressant and antihypertensive medications might alter GAD, which might have had an effect on our findings. It was reasonable to include the patients' entire medication history in our investigation. Another limitation was that the GAD questionnaire did not have a sensitivity of 100%, and all patients with GAD might not have participated in our study.

## CONCLUSION

The evidence from this study suggests that uncontrolled blood pressure increases the GAD in patients who have primary hypertension. In general, it seems to indicate that tight control of blood pressure in patients with primary hypertension should be considered in the healthcare system to avoid complications such as GAD. The association of the probable effects of GAD and hypertension in the development of other conditions should alert the healthcare system to hold better diagnostic and therapeutic programs. It is recommended that anxiety disorders should be considered in patients in whom primary hypertension is not controlled easily. This may lead to proper control of hypertension and the use of fewer antihypertensive medications.

## ACKNOWLEDGMENTS

The authors would like to thank Shiraz University of Medical Sciences, Shiraz, Iran, and also the Center for Development of Clinical Research of Nemazee Hospital and Dr Nasrin Shokrpour for editorial assistance.

## DISCLOSURES

*Ethical considerations and consent to participate: Our study was approved by the Ethics Committee of Shiraz University of Medical Sciences (the code of IR.SUMS.REC.1400.301). All participants were asked to sign an informed consent that explained all details of the research.*

*All authors have read and approved the submitted manuscript.  
The authors declare no conflict of interest.*

## REFERENCES

- Allgulander C (2010) Morbid anxiety as a risk factor in patients with somatic diseases: a review of recent findings. *Mind and brain, J Psychiatry*. 1:1–9. 9p.

Anderson GH (1999) Effect of age on hypertension: Analysis of over 4,800 referred hypertensive patients. *Saudi J Kidney Dis Transpl*. 10:286–297.

Aslan M (2021) The Iranian people are getting poorer. [https://iramcenter.org/en/the-iranian-people-are-getting-poorer/?send\\_cookie\\_permissions=OK](https://iramcenter.org/en/the-iranian-people-are-getting-poorer/?send_cookie_permissions=OK). Accessed December 31, 2021.

Bandelow B, Michaelis S (2015) Epidemiology of anxiety disorders in the 21st century. *Dialogues Clin Neurosci*. 17:327–335.

Beesdo K, Hoyer J, Jacobi F, Low NC, Höfler M, Wittchen HU (2009) Association between generalized anxiety levels and pain in a community sample: Evidence for diagnostic specificity. *J Anxiety Disord*. 23:684–693.

Caird F, Andrews G, Kennedy R (1973) Effect of posture on blood pressure in the elderly. *Br Heart J*. 35:527–530.

Carey RM, Whelton PK, 2017 ACC/AHA Hypertension Guideline Writing Committee (2018) Prevention, detection, evaluation, and management of high blood pressure in adults: Synopsis of the 2017 American College of Cardiology/American Heart Association hypertension guideline. *Ann Intern Med*. 168:351–358.

Carretero OA, Oparil S (2000) Essential hypertension. Part I: definition and etiology. *Circulation*. 101:329–335.

Cobham VE, Hickling A, Kimball H, Thomas HJ, Scott JG, Middeldorp CM (2020) Systematic review: Anxiety in children and adolescents with chronic medical conditions. *J Am Acad Child Adolesc Psychiatry*. 59:595–618.

O'donovan A, Slavich GM, Epel ES, Neylan TC (2013) Exaggerated neurobiological sensitivity to threat as a mechanism linking anxiety with increased risk for diseases of aging. *Neurosci Biobehav Rev*. 37:96–108.

Pan Y, Cai W, Cheng Q, Dong W, An T, Yan J (2015) Association between anxiety and hypertension: A systematic review and meta-analysis of epidemiological studies. *Neuropsychiatr Dis Treat*. 11:1121–1130.

Pinto E (2007) Blood pressure and ageing. *Postgrad Med J*. 83:109–114.

Player MS, Peterson LE (2011) Anxiety disorders, hypertension, and cardiovascular risk: A review. *Int J Psychiatry Med*. 41:365–377.

Rigaud A-S, Forette B (2001) Hypertension in older adults. *J Gerontol A Biol Sci Med Sci*. 56:M217–M225.

Spitzer RL, Kroenke K, Williams JB, Löwe B (2006) A brief measure for assessing generalized anxiety disorder: The GAD-7. *Arch Intern Med*. 166:1092–1097.

Stein DJ, Aguilar-Gaxiola S, Alonso J, Bruffaerts R, de Jonge P, Liu Z, Miguel Caldas-de-Almeida J, O'Neill S, Viana MC, Al-Hamzawi AO, Angermeyer MC, Benjet C, de Graaf R, Ferry F, Kovess-Masfety V, Levinson D, de Girolamo G, Florescu S, Hu C, Kawakami N, Maria Haro J, Piazza M, Posada-Villa J, Wojtyniak BJ, Xavier M, Lim CC, Kessler RC, Scott KM (2014) Associations between mental disorders and subsequent onset of hypertension. *Gen Hosp Psychiatry*. 36:142–149.

Weidmann P, Beretta-Piccoli C, Ziegler WH, Keusch G, Glück Z, Reubi FC (1978) Age versus urinary sodium for judging renin, aldosterone, and catecholamine levels: Studies in normal subjects and patients with essential hypertension. *Kidney Int*. 14:619–628.